



# SAFETY DATA SHEET

In Accordance with GHS Rev05(2013): U.S. OSHA Standard 29 CFR 1910.1200.

#### **REVISION DATE: March 23, 2016**

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Rescue RXx Bulk #: 467088 Product Code #: Product Form: Mixture

Recommendations on use: Cosmetic Preparation.

**Restrictions on use:** This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. Please read the labeling on the consumer package for proper use of this material. For external use only. Use only as directed.

CND, Inc

9560 Towne Centre Drive Suite 200

San Diego, California 92121

Telephone #: 1-800-833-NAIL

#### Address:

Revlon Research Center 2121 Route 27 Edison, NJ 08818 Telephone #: (732) 287-1400

### Emergency Telephone:

Medical Emergencies: 303-739-1110 CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

2. HAZARDS IDENTIFICATION		
GHS Classification:	Flammable Liquid, Category 3	
	Eye Irritation, Category 2B	
Pictogram:		
Signal Word:	Danger	
Hazard Statement(s):		
H226	Flammable liquid and vapor	
H320	Causes eye irritation	
Precautionary Statement(s):		
P210	Keep away from flames and hot surfaces. No smoking.	
P233	Keep container tightly closed.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P371 + P378	In case of fire: Use appropriate media for extinction.	
P403 + P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container in accordance with local, regional, national, and/or international regulations.	
Potential Health Effects:		
Eye Contact:	Causes eye irritation. Avoid contact with eyes.	
Skin Contact:	May be irritating to skin in some sensitive individuals.	
Inhalation:	Not expected to cause irritation under normal conditions and use.	
Ingestion:	If swallowed may cause nausea, vomiting, and/or diarrhea. Does not occur under normal use.	

Hazard Classification: OSHA (USA): HMIS Rating: NFPA Rating:

Flammable liquid. Health: 2. Flammability: 3. Reactivity: 0. Health: 2. Flammability: 3. Reactivity: 0.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:
Isopropyl Alcohol	67-63-0	1-5

4. FIRST AID MEASURES		
Eye Contact:	Flush eyes immediately with large amounts of lukewarm water for 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.	
Skin Contact:	Remove contaminated clothing and wash affected areas with soap and water. Do not wear contaminated clothing until after it has been properly cleaned. Seek medical attention if redness, swelling, itching, or burning occurs.	
Inhalation:	Remove to freash air at once. Under extreme conditions, if breathing stops, administer artificial respiration and seek medical attention.	
Ingestion:	Do not induce vomiting! If conscious, give several glasses of water or milk IMMEDIATELY. Never give anything by mouth to an unconscious person. Contact ChemtRec at +1(703)527- 3887 or the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.	
Notes to Physician:	Treat symptomatically.	
Most important symptoms/effects, both acute and delayed:	No acute or delayed symptoms or effects occur when handling this product.	
	5. FIRE AND IGNITION INFORMATION	
Burn Rate:	Not determined.	
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the	
	surrounding environment. Water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Special Fire Fighting Procedures:	Dangerous fire hazard when exposed to heat and flame. In the event of fire, wear self- contained breathing apparatus. Vapor may cause flash fire. Water spray may be used to keep fire-exposed containers cool and minimize risk of rupture.	

Unusual Fire/Explosion Hazard:	Flammable. Above flash point, vapor-air mixtures may be a fire and explosion hazard. Vapors can flow along surfaces to distant ignition source and flash back. Sealed containers may
	rupture when heated. This material may produce a floating fire hazard. Sensitive to static discharge. May release irritating gases/fumes during thermal decomposition or burning.

Specific Hazards Arising from the Not Applicable. Chemical:

6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions:	Avoid inhalation vapors. Remove all sources of ignition. Ventilate area with explosion- proof equipment. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.	
Methods for Cleaning Up:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.	
	For small spills (e.g. < 1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g. goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state, and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove and contaminated clothing and wash thoroughly before reuse.	
	For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g. sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.	
vironmental Precautions:	No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.	

# 7. HANDLING AND STORAGE

Working & Hygiene Practices:	Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well- ventilated location (e.g. local exhaust ventilation, fans). Do not eat, drink, or smoke while handling product.
Handling:	Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air.
Storage:	Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# EXPOSURE LIMITS

CAS No.	Components	mg/m³ (ppm)	Category	Origin
67-63-0	2-Propanol	(200)	TWA	ACGIH TLV
		(400)	STEL	ACGIH TLV
		1225 (500)	STEL	OSHA PEL
		980 (400)	TWA (8 h)	NIOSH REL
		980 (400)	TWA (8h)	OSHA
		1225 (500)	ST	NIOSH REL

## ENGINEERING CONTROLS

General mechanical ventilation (e.g. local exhaust ventilation, fans) is required for use with this product.

PERSONAL PROTECTIVE EQUIPMENT   Respiratory protection: None required when used with adequate ventilation (e.g. local exhaust ventilation, fans)		
Hand Protection:	None required under normal use. When handling large quantities (e.g. $\geq$ 1 gallon (3.785 liters)), wear rubber or impervious gloves.	
Eye Protection:	Wear protective eyewear (e.g. safety glasses with side shields) at all times when handling this product Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Eye protection required in production areas.	
Skin and Body Protection:	When handling large quantities (e.g. $\geq$ 1 gallon (3.785 liters)), an apron should be worn and eye wash stations and deluge showers should be available. Wear suitable protective clothing in production areas.	
Other protective equipment:	None required under normal use. Skin protection required in production areas and when handling large quantities (e.g. $\geq$ 1 gallon (3.785 liters)). Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby	

9. PHYSICAL	AND CHEMICAL	PROPERTIES
-------------	--------------	------------

Appearance:	Yellow liquid
Odor:	Brazil nut
Odor Threshold:	Not Known
pH:	Not Known
Melting Point/Freezing Point:	Not Known
Boiling Point/ Boiling Range:	Not Known
Flash Point: Flash Point Method:	58 <sup>0</sup> C (136 <sup>0</sup> F). Closed Cup (ASTM D 6450-05)
Sustained Combustion: Sustained Combustion Method:	Does not sustain combustion ASTM 1041
% Volatile:	Not Known
Evaporation Rate:	Not Known
Flammability Classification:	Not Flammable
Explosive Limits:	Not Known
Vapor Pressure:	Not Known
Vapor Density:	Not Known
Specific Gravity/Rel. Density:	0.91
Solubility in Water:	Not Known
Partition Coeff. (n-octanol//water):	Not Known
Auto-ignition temperature:	

Product Name: Rescue RXx Bulk #: 467088	Page 5 of 7
Decomposition temperature:	Not Known
Viscosity:	Not Known
	10. STABILITY AND REACTIVITY
Reactivity:	No dangerous reaction known under conditions of normal use.
Stability:	Stable under normal temperatures and pressures.
Conditions to Avoid:	Keep away from strong oxidizers, heat, sparks, open flame and sources of ignition.
Incompatible With:	Strong oxidizing agents.
Hazardous Decomposition Products:	Oxides of carbon.
Hazardous Polymerization:	Hazardous polymerization does not occur.

## **11. TOXICOLOGICAL INFORMATION**

This formula was reviewed by the Global Product Safety and Regulatory Department of Revlon and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions.

Eye Irritation:	Causes eye irritation. Avoid eye contact.	
Skin Corrosion/Irritation:	May cause skin irritation in some sensitive individuals.	
Respiratory or Skin Sensitization:	May cause skin irritation in some sensitive individuals.	
Acute toxicity:	Not Available	
Germ Cell Mutagenicity:	Does not contain any ingredients known to be mutagenic according to OSHA	
Carcinogenicity:	Does not contain any ingredients known to be carcinogenic according to OSHA, NTP, and IARC	
Reproductive toxicity:	Not expected to cause reproductive toxicity	
STOT – Single Exposure:	Not expected to cause organ toxicity	
STOT – Repeat Exposure:	Not expected to cause organ toxicity	
Aspiration Hazard:	Not an aspiration hazard	

# 12. ECOLOGICAL INFORMATION

This product has not been tested as a whole for environmental toxicity. However, environmental information on the ingredients in this product have been reviewed by the Global Product Safety and Regulatory Department of Revlon and determined to have an acceptable environmental profile.

Aquatic Toxicity:	Not expected to cause aquatic toxicity
Persistence and Degradability:	Not Available
Bioaccumulative Potential:	Not Available
Mobility in Soil:	Not Available
Other Adverse Effects:	Not expected to cause adverse effects

## **13. DISPOSAL CONSIDERATIONS**

Disposal: Consult applicable Local and State Regulations for disposal of hazardous liquids. Do not dispose down sewer systems.

#### RCRA Classification (40 CFR 261): RCRA Class D001.

# 14. TRANSPORT INFORMATION

#### FOR NON-BULK (FINISHED GOODS/RETAIL) SHIPMENT

**Ground (DOT):** Not hazardous for transport. Refer to §173.120(a)(3) for exemption. **Vessel (IMDG):** Not hazardous for transport. Refer to §2.3.1.3.1 for exemption. **Air (IATA):** Not hazardous for transport. Refer to §3.3.1.3(a) for exemption.

#### FOR BULK SHIPMENT

DOT (Department of Transportation): Not hazardous for transport. Refer to §173.20(a)(3) for exemptionUN Number:Not hazardous for transportUN Proper Shipping Name:Not hazardous for transportUN Hazard Class:Not hazardous for transportUN Packing Group:Not hazardous for transport

IMDG (International Maritime Organization's Dangerous Goods Code):

Not hazardous for transport. Refer to §2.3.1.3.1 for exemption.

#### IATA (International Air Transport Association):

Not hazardous for transport. Refer to §3.3.1.3(a) for exemption.

#### **15. REGULATORY INFORMATION**

#### International Inventories

TSCA (Toxic Substances Control Act)	The product is exempt
DSL (Domestic Substance List)	The following is listed: Isopropyl alcohol

#### **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### **Clean Water Act**

This product does not contain any chemicals that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

#### **U.S. State Regulations**

#### California Proposition 65

This product does not contain any chemicals that are classified under Proposition 65.

#### U.S. State Right-To-Know Regulations

Ingredient	CAS #:	TSCA 8(b)	MA RTK	NJ RTK	PA RTK
Isopropyl Alcohol	67-63-0	Yes	Yes	Yes	Yes

#### <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

#### **16. OTHER INFORMATION**

Last Revision:	1/13/2015.
Prepared by:	Revlon Research Center

#### Manufacture Supplemental Notes:

Read all warnings and directions on packaging carefully before use.

#### Additional MSDS Information:

For external use only.

#### **Disclaimer:**

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

#### Comments:

Cosmetic products are exempted from Safety Data Sheets by article 2.6 (b) of regulation (EC)n 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of chemicals (REACH) in Europe.

Cosmetic products are partially exempt from Canada's Workplace Hazardous Materials Information System (WHMIS) by section C of the regulation.

Cosmetic product for consumer use are exempted from labeling requirements under the United States Occupational Safety and Health Administration's Hazard Communication Standard 29 CFR 1910.1200 under section 29 CFR 1910.1200(b)(5)(iii). Cosmetics are covered by the Food and Drug Administration's Food, Drug and Cosmetic Act and Consumer Product Safety Act.