AMERICAN INTERNATIONAL INDUSTRIES

Safety Data Sheet IBD Advanced Wear PRO Nail Lacquers (Various Colors)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

| Product name | IBD Advanced Wear PRO Nail Lacquers (Various Colors) | |
|---|--|--|
| Product number | See section 16 for reference numbers | |
| Relevant identified uses of the substance or mixture and uses advised against Uses: Nail Lacquer | | |
| Details of the supplier of the safety data sheet | | |
| Name Address | American International Industries 2220 Gaspar Ave | |

| Address | American International Industries 2220 Gaspar Ave Los Angeles, CA 90040 USA |
|----------------------------|--|
| Telephone | 323-728-2999 |
| Emergency telephone number | |

Chem-Tel: 1(800) 255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP) and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

- Eye damage/irritation (chapter 3.3), Cat. 2, H319
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3, H335,H336
- Flammable liquids (chapter 2.6), Cat. 2, H225

For the full text corresponding to the "H"-codes displayed in this section, refer to Section 16.

Label elements

Labeling according to Regulation (EC) No 1272/2008 [CLP] and OSHA Hazardous Communication Standard 29 CFR §1910.1200.

Hazard pictograms



| Signal word | Danger |
|----------------------------|---|
| Hazard statement(s) | |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |
| H225 | Highly flammable liquid and vapor |
| Precautionary statement(s) | |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove |
| | contact lenses if present and easy to do. Continue rinsing. |
| P312 | Call a POISON CENTER/doctor/ if you feel unwell. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P403+P233 | Store in a well ventilated place. Keep container tightly closed. |
| P405 | Store locked up. |
| P210 | Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting//equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P403+P235 | Store in a well ventilated place. Keep cool. |

SECTION 3: Composition/information on ingredients

Mixtures

| Component | Concentration | |
|---|--|--|
| Ethyl Acetate (CAS no.: 141-78-6; EC no.: 205-500-4; Index no.: 607-022-00-5) | 20- 45 % | |
| CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3. | 3), Cat. 2; Specific target organ toxicity, single | |
| exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - May cause | | |
| drowsiness or dizziness. | | |
| Butyl Acetate CAS no.: 123-86-4; EC no.: 204-658-1; Index no.: 607-025-00-1) | 20- 45 % | |
| CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 3; Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3. | | |
| HAZARDS: H226 - Flammable liquid and vapor; H336 - May cause drowsiness or dizziness. | | |
| Nitrocellulose (CAS no.: 9004-70-0) | 5 - 15 % | |
| CLASSIFICATIONS: No data available. HAZARDS: No data available. | | |
| Isopropyl Alcohol (CAS no.: 67-63-0; EC no.: 200-661-7; Index no.: 603-117-00-0) | 1 - 10 % | |
| CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 2; Eye damage/irritation (chapter 3.3), Cat. 2; Specific target organ toxicity, | | |
| single exposure (chapter 3.8), Cat. 3. HAZARDS: H225 - Highly flammable liquid and vapor; H319 - Causes serious eye irritation; H336 - | | |
| May cause drowsiness or dizziness. | | |

SECTION 4: First aid measures

Description of first aid measures

| General notes | Though this product is non hazardous for its indented use, in all cases, if symptoms persists contact a physician. |
|------------------------------------|---|
| Following inhalation | If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| Following skin contact | Rinse with plenty of water. Get medical attention if irritation develops and persists. |
| Following eye contact | Rinse thoroughly with plenty of water for at least 15 minutes. Get medical attention if symptoms occur. |
| Following ingestion | Get medical attention immediately. If swallowed, do NOT induce vomiting. Contact a physician or a poison control center immediately. Never give anything by mouth to an unconscious person. |
| Self-protection of the first aider | Use personal protective equipment. |

Most important symptoms and effects, both acute and delayed

If inhaled for long periods of time, can cause dizziness/drowsiness, headache and nausea.

SECTION 5: Firefighting measures

Extinguishing media

Dry chemical, carbon dioxide, Halon foam. Water may be ineffective. Water spray may be used to keep fire exposed containers cool and to disperse vapors.

Special hazards arising from the substance or mixture

Vapors can travel to a source of ignition and flashback. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Empty drums should be completely drained, properly bunged and promptly returned to a drum reconditioner, or properly disposed of.

Advice for firefighters

First responders should wear eye protection. Structural fire-fighters must wear MSHA/NIOSH approved SCBA and full protective equipment. Use a water spray or fog to reduce vapors. Water may not be effective in extinguishing a fire involving this product.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Household: Absorb with inert material and place in a appropriate waste disposal Industrial: Avoid contact with skin, eyes, and clothing. Remove all sources of ignition. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

Environmental precautions

Household: Do not place spilled product in any drain or water system that can go into the environment. Industrial: Should not be released into the environment.

Methods and material for containment and cleaning up

Highway or railway spills call chemtrec (800) 424-9600 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii. Stay upwind and away from spill. Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately

notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid prolonged contact with the product. After use, wash hands and exposed skin with soap and water. Do not eat, drink, or smoke while handling this product.

Conditions for safe storage, including any incompatibilities

Keep this material away from heat, sparks, and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of the product; therefore handle empty container with care.

Store containers in a cool dry place, away from direct sunlight, other light sources, or any intense heat. Store away from incompatible materials as appropriate.

SECTION 8: Exposure controls/personal protection

Control parameters

CAS: 123-86-4

n-Butyl-acetate

Cal/OSHA: 150 ppm, (ST) 200 ppm PEL inhalation; NIOSH: 150 ppm, (ST) 200 ppm REL inhalation; OSHA: 150 ppm PEL inhalation; 710 mg/m3 PEL inhalation

CAS: 141-78-6

Ethyl acetate

Cal/OSHA: 400 ppm PEL inhalation; NIOSH: 400 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 1400 mg/m3 PEL inhalation

CAS: 67-63-0

Isopropyl alcohol

Cal/OSHA: 400 ppm, (ST) 500 ppm PEL inhalation; NIOSH: 400 ppm, (ST) 500 ppm REL inhalation; OSHA: 400 ppm PEL inhalation; 980 mg/m3 PEL inhalation

Exposure controls

Appropriate engineering controls

Distribution, Workplace and Household Settings: Ensure adequate ventilation. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protection equipment

Eye and face protection

Depending on the use of this product splash or safety glasses may be worn in an industrial setting. When necessary refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European standard EN166.

Skin protection

Skin Protection: None required with normal household use. Industrial Setting: Protective gloves (for hands) and protective clothing are required where repeated or prolonged skin contact may occur.

Body protection

No special body protection is required for this product under typical use and handling.

Respiratory protection

No respiratory protection is required under typical circumstances of use and handling. If necessary, use only respiratory protection authorized by U.S. OSHA 29 CFR §1920.134, or applicable U.S. local state regulations,

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Initial boiling point and boiling range77 C (Flash point- 4.44Evaporation rateNo datFlammability (solid, gas)FlammUpper/lower flammability limitsUEL: 1VOC1.44 lbVapour pressureNo datVapour densityNo datRelative densityNo datSolubilit(ies)Slight1Partition coefficient: n-octanol/waterNo datAuto-ignition temperatureNo datDecomposition temperatureNo datViscosityNo datExplosive propertiesNo dat | 2.% LEL:1.7% b/gal ta available. ta available. ta available. |
|--|--|
|--|--|

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Incompatible materials

Acids, Alkalies, and Peroxides

Hazardous decomposition products

If exposed to extremely high temperatures, the products of decomposition may include irritating vapors and carbon oxide gases (e.g. CO2, CO).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Vapors may cause drowsiness and dizziness.

Skin corrosion/irritation

Causes skin irritation and exposure to the skin can cause dermatitis.

Serious eye damage/irritation May be irritating to eyes

Germ cell mutagenicity No data available.

Carcinogenicity No data available.

Reproductive toxicity No data available.

STOT-single exposure May cause respiratory irritation

STOT-repeated exposure No data available.

Aspiration hazard No data available.

SECTION 12: Ecological information

Toxicity Do not let product enter drains.

Persistence and degradability No data available.

Bioaccumulative potential No data available.

Mobility in soil No data available.

SECTION 13: Disposal considerations

Waste treatment methods

Disposal of the product

Dispose of in accordance with federal, state and local regulations.

SECTION 14: Transport information

DOT (US) UN Number: 1263 Class: 3 Packing Group: II Proper Shipping Name: Paint Reportable quantity (RQ): Marine pollutant: Poison inhalation hazard:

IMDG

UN Number: 1263 Class: 3

Packing Group: II Proper Shipping Name: Paint

IATA UN ID: ID8000 Hazard Class: 9 Packing instructions: Y963 Proper Shipping Name: Consumer Commodity

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Massachusetts Right To Know Components Chemical name: Butyl acetate CAS number: 123-86-4

New Jersey Right To Know Components Common name: n-BUTYL ACETATE CAS number: 123-86-4

Pennsylvania Right To Know Components Chemical name: Acetic acid, butyl ester CAS number: 123-86-4

Massachusetts Right To Know Components Chemical name: Ethyl acetate CAS number: 141-78-6

New Jersey Right To Know Components Common name: ETHYL ACETATE CAS number: 141-78-6

Pennsylvania Right To Know Components Chemical name: Acetic acid ethyl ester CAS number: 141-78-6

New Jersey Right To Know Components

Common name: NITROCELLULOSE CAS number: 9004-70-0

Pennsylvania Right To Know Components

Chemical name: Cellulose, nitrate CAS number: 9004-70-0

Massachusetts Right To Know Components Chemical name: Isopropyl alcohol (mfg-strong acid process) CAS number: 67-63-0

New Jersey Right To Know Components Common name: ISOPROPYL ALCOHOL CAS number: 67-63-0

Pennsylvania Right To Know Components Chemical name: 2-Propanol CAS number: 67-63-0

SECTION 16: Other information

Full text of hazard statements referenced in Section 2

H225

Highly flammable liquid and vapor

| H319 | Causes serious eye irritation |
|------|-----------------------------------|
| H335 | May cause respiratory irritation |
| H336 | May cause drowsiness or dizziness |

Reference Numbers and Item Description

65293 - IBD Advanced Wear Pro Lacquer Fireworks 65294 - IBD Advanced Wear Pro Lacquer Sea Pearl 65295 - IBD Advanced Wear Pro Lacguer Whipped Cream 65296 - IBD Advanced Wear Pro Lacquer Carte Blanche 65297 - IBD Advanced Wear Pro Lacquer Silver Lites 65298 - IBD Advanced Wear Pro Lacquer All That Glitters 65300 - IBD Advanced Wear Pro Lacquer Cashmere Blush 65301 - IBD Advanced Wear Pro Lacquer Indie Oasis 65302 - IBD Advanced Wear Pro Lacquer Morrocan Spice 65303 - IBD Advanced Wear Pro Lacquer Beauty Sleep 65304 - IBD Advanced Wear Pro Lacquer Im No Damsel 65305 - IBD Advanced Wear Pro Lacquer Seashell Pink 65307 - IBD Advanced Wear Pro Lacquer So In Love 65308 - IBD Advanced Wear Pro Lacquer Debutante Ball 65310 - IBD Advanced Wear Pro Lacquer Naturally Beautiful 65311 - IBD Advanced Wear Pro Lacquer Juliet 65312 - IBD Advanced Wear Pro Lacquer Flowerful 65313 - IBD Advanced Wear Pro Lacquer Rome Around 65315 - IBD Advanced Wear Pro Lacquer Funny Bone 65316 - IBD Advanced Wear Pro Lacquer Tickled Pink 65317 - IBD Advanced Wear Pro Lacquer Gerber Daisy 65319 - IBD Advanced Wear Pro Lacquer Ingenue 65320 - IBD Advanced Wear Pro Lacguer Starburst 65321 - IBD Advanced Wear Pro Lacquer Rose Lite District 65322 - IBD Advanced Wear Pro Lacquer Parisol 65323 - IBD Advanced Wear Pro Lacquer Vespas & Siestas 65324 - IBD Advanced Wear Pro Lacquer Frozen Strawberry 65325 - IBD Advanced Wear Pro Lacquer Peony Bouquet 65328 - IBD Advanced Wear Pro Lacquer All Heart 65329 - IBD Advanced Wear Pro Lacquer Maui Sunset 65331 - IBD Advanced Wear Pro Lacquer Mocha Pink 65332 - IBD Advanced Wear Pro Lacquer Mauve Over 65333 - IBD Advanced Wear Pro Lacquer Brazen Beat 65334 - IBD Advanced Wear Pro Lacquer Infinetely Curious 65335 - IBD Advanced Wear Pro Lacquer Eye Poppie 65337 - IBD Advanced Wear Pro Lacquer Head to Toe Gelato 65338 - IBD Advanced Wear Pro Lacquer Serendipity 65339 - IBD Advanced Wear Pro Lacquer Mango Mischief 65343 - IBD Advanced Wear Pro Lacquer Vixen Rouge 65345 - IBD Advanced Wear Pro Lacquer Burning Flame 65346 - IBD Advanced Wear Pro Lacguer Marigold 65347 - IBD Advanced Wear Pro Lacquer Lucky Red 65348 - IBD Advanced Wear Pro Lacquer Bing Cherries 65350 - IBD Advanced Wear Pro Lacquer Luck of the Draw 65351 - IBD Advanced Wear Pro Lacquer Enthralled 65352 - IBD Advanced Wear Pro Lacquer Cosmic Red 65353 - IBD Advanced Wear Pro Lacquer Breathtaking 65354 - IBD Advanced Wear Pro Lacquer Brandy Wine 65355 - IBD Advanced Wear Pro Lacquer Mogul 65356 - IBD Advanced Wear Pro Lacquer Truly Madly Deeply 65357 - IBD Advanced Wear Pro Lacquer Bustled UP

65358 - IBD Advanced Wear Pro Lacquer Petal Imprint 65359 - IBD Advanced Wear Pro Lacquer Catwalk Alley 65360 - IBD Advanced Wear Pro Lacquer Amethyst Surprise 65361 - IBD Advanced Wear Pro Lacquer My Babe 65362 - IBD Advanced Wear Pro Lacquer Cashmere Cutie 65363 - IBD Advanced Wear Pro Lacquer Heedless to say 65364 - IBD Advanced Wear Pro Lacquer Slurple Purple 65365 - IBD Advanced Wear Pro Lacquer Con-fuchsion 65366 - IBD Advanced Wear Pro Lacquer Molly 65367 - IBD Advanced Wear Pro Lacquer Indian Sari 65368 - IBD Advanced Wear Pro Lacquer HRH 65369 - IBD Advanced Wear Pro Lacquer Plum Raven 65370 - IBD Advanced Wear Pro Lacquer Luxe Street 65371 - IBD Advanced Wear Pro Lacquer Inspire Me 65372 - IBD Advanced Wear Pro Lacquer Sweet Sanctuary 65373 - IBD Advanced Wear Pro Lacquer Smokey Plum 65374 - IBD Advanced Wear Pro Lacquer Aphrodite 65375 - IBD Advanced Wear Pro Lacquer Raindrops 65376 - IBD Advanced Wear Pro Lacquer Bardot Indigo 65377 - IBD Advanced Wear Pro Lacquer Riviera Rendezvous 65378 - IBD Advanced Wear Pro Lacquer Sargasso Sea 65379 - IBD Advanced Wear Pro Lacquer So Cryptic 65380 - IBD Advanced Wear Pro Lacquer Blue Haven 65381 - IBD Advanced Wear Pro Lacquer Calm Oasis 65382 - IBD Advanced Wear Pro Lacquer Jupiter Blue 65383 - IBD Advanced Wear Pro Lacguer Hippie Dippies 65384 - IBD Advanced Wear Pro Lacquer Meteorite 65385 - IBD Advanced Wear Pro Lacquer The Abvss 65386 - IBD Advanced Wear Pro Lacquer Hot Springs 65387 - IBD Advanced Wear Pro Lacquer Just Me N Capri 65388 - IBD Advanced Wear Pro Lacquer Eden 65389 - IBD Advanced Wear Pro Lacquer Turtle Bay 65390 - IBD Advanced Wear Pro Lacquer Metro Pose 65391 - IBD Advanced Wear Pro Lacquer Green Monster 65392 - IBD Advanced Wear Pro Lacquer Solar Rays 65393 - IBD Advanced Wear Pro Lacquer Rocco 65394 - IBD Advanced Wear Pro Lacquer Fall Forward 65395 - IBD Advanced Wear Pro Lacquer Dolomite 65396 - IBD Advanced Wear Pro Lacquer Head in the Clouds 65397 - IBD Advanced Wear Pro Lacquer Polar Sky 65398 - IBD Advanced Wear Pro Lacquer Patchwork 65401 - IBD Advanced Wear Pro Lacquer - Black Lava 65402 - IBD Advanced Wear Pro Lacquer - Black Lava 65408 - IBD Advanced Wear Pro Lacguer Full Blu-um 69966 IBD Advanced Wear Pro Lacquer Baked To Perfection 69967 IBD Advanced Wear Pro Lacquer Lush Blush 69968 IBD Advanced Wear Pro Lacquer Pinkies N Cream IBD Advanced Wear Pro Lacquer Stole Your Mandarin 69969 69970 IBD Advanced Wear Pro Lacquer Peach Better Have My \$ 69971 IBD Advanced Wear Pro Lacquer Glow Up 69972 IBD Advanced Wear Pro Lacquer Concealed With A Kiss 69973 IBD Advanced Wear Pro Lacquer Came.Saw.Contoured

Further information/disclaimer

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR § 1910.1200 and GHS. To the best of A.I.I.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.